

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|---|------------------|---------|------------------|
| L40 | 9 | 37 38 39 | US-PGPUB | OR | ON | 2005/10/12 13:15 |
| L39 | 1 | 726/25.ccls. and (port and scan).clm. | US-PGPUB | OR | ON | 2005/10/12 13:15 |
| L38 | 2 | 726/22.ccls. and (port and scan).clm. | US-PGPUB | OR | ON | 2005/10/12 13:15 |
| L37 | 6 | 709/220-223.ccls. and (port and scan).clm. | US-PGPUB | OR | ON | 2005/10/12 13:15 |
| L36 | 44 | (module and port and scan and duration and network).clm. | US-PGPUB | OR | ON | 2005/10/12 13:14 |
| L35 | 246 | 32 33 34 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/12 13:09 |
| L34 | 35 | 714/30.ccls. and (@ad<"20010629" or @rlad<"20010629") and @pd>"20041110" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/12 13:00 |
| L33 | 10 | 370/245.ccls. and (@ad<"20010629" or @rlad<"20010629") and @pd>"20041110" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/12 12:58 |
| L32 | 202 | 709/220-223.ccls. and (@ad<"20010629" or @rlad<"20010629") and @pd>"20050616" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/12 12:57 |
| L27 | 2 | "20050128957" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/12 10:29 |
| L26 | 173 | ((network or port) with scan\$4) with (latency duration efficiency) | US-PGPUB; USPAT | OR | ON | 2005/10/12 09:28 |
| L18 | 20 | ((network or port) adj scan\$4) with (latency duration efficiency) | US-PGPUB; USPAT | OR | ON | 2005/10/12 08:44 |
| L25 | 13 | 24 and (scan same port) | US-PGPUB; USPAT | OR | ON | 2005/10/12 08:26 |
| L24 | 548 | 23 and port | US-PGPUB; USPAT | OR | ON | 2005/10/12 08:26 |
| L23 | 5318 | (schwartz).inv. | US-PGPUB; USPAT | OR | ON | 2005/10/12 08:26 |
| L22 | 0 | "2002133581" | US-PGPUB; USPAT | OR | ON | 2005/10/12 08:25 |

| | | | | | | |
|-----|-------|---|---|----|----|------------------|
| L21 | 1 | "2002133581" "6369909".pn. | US-PGPUB; USPAT | OR | ON | 2005/10/12 08:25 |
| L20 | 4 | "2002133581" "6369909".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/12 08:25 |
| L19 | 1 | "1357700" | EPO | OR | ON | 2005/10/12 08:24 |
| L9 | 13488 | scan\$4 with (latency duration efficiency) | US-PGPUB; USPAT | OR | ON | 2005/10/12 08:18 |
| L17 | 7 | ((network or port) with scan\$4) with (latency duration) | EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/12 08:17 |
| L16 | 0 | ((network or port) adj scan\$4) with (latency duration) | EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/12 08:17 |
| L14 | 1011 | scan\$4 with (latency duration) | EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/12 08:17 |
| L15 | 897 | 14 and @pd<"20010629" | EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/12 07:54 |
| L13 | 3640 | scan\$4 with (latency duration efficiency) | EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/12 07:54 |
| L12 | 611 | 11 and (scan with (latency duration efficiency)) | US-PGPUB; USPAT | OR | ON | 2005/10/12 07:46 |
| L11 | 1252 | 10 and ("370" "709" "707" "726" "345" "379").clas. | US-PGPUB; USPAT | OR | ON | 2005/10/12 07:45 |
| L10 | 10891 | 9 and (@ad<"20010629" or @rlad<"20010629") | US-PGPUB; USPAT | OR | ON | 2005/10/12 07:44 |
| L8 | 17128 | scan\$4 with (latency duration efficiency) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/12 07:43 |
| L7 | 65388 | scan\$4 same(laten\$2 duration efficien\$2) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/12 07:41 |
| L6 | 35242 | scan\$4 with (laten\$2 duration efficien\$2) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/12 07:41 |
| L5 | 9 | 4 and (cisco).as. | US-PGPUB; USPAT | OR | ON | 2005/10/12 07:30 |

| | | | | | | |
|----------|------|--|---|----|----|------------------|
| L4 | 30 | (gleichauf).inv. | US-PGPUB; USPAT | OR | ON | 2005/10/12 07:13 |
| L3 | 7 | ("6282548" "6298445" "5892903" "5931946" "6301668" "6324656"). pn. "20010034846" | US-PGPUB; USPAT | OR | ON | 2005/10/12 07:13 |
| L2 | 38 | port same (discovery adj service) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/12 07:02 |
| L1 | 11 | port with (discovery adj service) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/12 06:52 |
| S16 4 | 0 | S129 and (scan with duration) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/12 06:51 |
| S16 3 | 1 | S129 and (port with (unavailable or inactive)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/11 15:45 |
| S16 2 | 6 | S161 with disable | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/11 15:30 |
| S16 1 | 1675 | port adj scan\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/11 15:22 |
| S16 0 | 78 | (gfi).as. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/11 15:22 |
| S15 9 | 4 | ("6119236" "6502131" "6853619" "6891839").pn. | USPAT | OR | ON | 2005/10/11 15:20 |
| S15 8 | 16 | (gfi).as. | USPAT | OR | ON | 2005/10/11 15:20 |
| S15 7 | 4 | gfi adj software | USPAT | OR | ON | 2005/10/11 15:17 |
| S15 6 | 3 | network adj security adj scanner | USPAT | OR | ON | 2005/10/11 15:16 |
| S15 5 | 2 | languard | USPAT | OR | ON | 2005/10/11 15:15 |

| | | | | | | |
|----------|-----|--|---|----|----|------------------|
| S15 4 | 40 | tcp with scanner | USPAT | OR | ON | 2005/10/11 15:15 |
| S15 3 | 1 | tcp near2 scanner | USPAT | OR | ON | 2005/10/11 15:07 |
| S15 2 | 1 | tcp near2 scanner | USPAT | OR | ON | 2005/10/11 15:06 |
| S15 1 | 1 | tcp adj scanner | USPAT | OR | ON | 2005/10/11 15:06 |
| S15 0 | 1 | tcp with port adj scanner | USPAT | OR | ON | 2005/10/11 15:06 |
| S14 9 | 0 | tcp adj port adj scanner | USPAT | OR | ON | 2005/10/11 15:06 |
| S14 8 | 1 | S147 with disable | USPAT | OR | ON | 2005/10/11 15:06 |
| S14 7 | 582 | port adj1 scan\$4 | USPAT | OR | ON | 2005/10/11 15:03 |
| S14 6 | 582 | port adj scan\$4 | USPAT | OR | ON | 2005/10/11 15:03 |
| S14 5 | 30 | "726".clas. and (module with disable) | USPAT | OR | ON | 2005/10/11 15:03 |
| S14 4 | 3 | S129 and (module with disable) | USPAT | OR | ON | 2005/10/11 14:56 |
| S14 3 | 11 | S141 with disable | USPAT | OR | ON | 2005/10/11 14:55 |
| S14 2 | 6 | S141 with (risk) | USPAT | OR | ON | 2005/10/11 14:54 |
| S14 1 | 775 | security adj module\$1 | USPAT | OR | ON | 2005/10/11 14:54 |
| S14 0 | 3 | ("6205552").URPN. | USPAT | OR | ON | 2005/10/11 14:53 |
| S13 9 | 2 | "6205552".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/11 14:47 |
| S13 8 | 1 | S135 and (dynamic with (port adj1 scan\$4)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/11 14:47 |
| S13 7 | 0 | S135 and (efficient same (port adj1 scan\$4)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/11 14:46 |

| | | | | | | |
|----------|-----|---|---|----|----|------------------|
| S13 6 | 0 | S135 and (efficient with (port adj1 scan\$4)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/11 14:46 |
| S13 5 | 325 | S134 and ("713" "709" "726" "714" "370").clas. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/11 14:45 |
| S13 4 | 938 | (port adj1 scan\$4) and (@ad<"20010629" or @rlad<"20010629") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/11 14:45 |
| S13 3 | 23 | S129 and (security with assessment) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/11 14:44 |
| S13 2 | 22 | (internet and security and systems).as. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/11 14:14 |
| S13 1 | 2 | "6282546".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/11 13:59 |
| S13 0 | 29 | S129 and (port with (scan or browse or examine or check or scour or scrutinize or probe)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/11 13:44 |
| S12 9 | 231 | (726/25 726/22).ccls. and (@ad<"20010629" or @rlad<"20010629") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/11 13:34 |
| S12 8 | 182 | 726/22.ccls. and (@ad<"20010629" or @rlad<"20010629") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/11 13:33 |